

Infinity



CAPPED BAMBOO COMPOSITE DECKING



Intertek



LOW ENVIRONMENTAL IMPACT
Sustainable manufacturing & use of raw material

www.eva-last.com

Infinity

CAPPED BAMBOO COMPOSITE DECKING

Infinity bamboo composite is the ultimate in durability and one of the toughest co-extruded composite decking ranges available. Its resilient protective cap made of an advanced polymer resists scratches, fade, mould, and mildew, and makes Infinity exceptionally low maintenance, with only the most basic cleaning required for optimal longevity. Infinity offers decay and weather resistance with top protection from insects and harsh weather. Its streaked colour variation provides a natural look that embodies the essence of timber. Enjoy the stain and slip resistance of this environmentally friendly alternative to timber, which is holistically sustainable from its manufacturing to its use of raw material.

PRODUCT COMPOSITION

Infinity

Infinity bamboo composite decking adds value and good looks to your outdoor space and to your lifestyle by giving you steadfast decking that lasts for decades.



Capping material:

Engineered polymer

Core material:

Bamboo PE composite





For more information on Infinity visit www.eva-last.com



TAKE HOME THE BENEFITS



DURABLE

One of the toughest co-extruded composites



PROTECTIVE CAP

Fade, scratch, & stain resistant capping technology



LOW-MAINTENANCE

Only basic care required for optimal longevity



DECAY RESISTANT

Resists insects, moisture, & weather



STAIN RESISTANT

Built-in protection against stains



SLIP RESISTANT

Reliable anti-slip protection



NATURAL LOOK

Specialised streaked colour technology



ECO-FRIENDLY

Sustainable manufacturing & use of raw material



Infinity

INFINITY PROFILE TYPES

Infinity capped bamboo composite adds durability and functionality to your outdoor space in a range of profile designs. Grooved decking boards install easily with hidden clips while square edge boards install with conveniently colour matched top fixing screws. The ultra-lightweight Infinity IS (I-Series) range utilises the classic I-beam shape to create an even lighter weight profile available in grooved, square edge, and starter profile options. Fascia, screen, and stair tread profiles add matching finishing touches to complete your outdoor space.

Infinity

Grooved board

140 x 23 mm



Square edge board

140 x 23 mm



Fascia boards

150 x 12 mm



184 x 16.5 mm



304 x 18 mm



Stair tread

325 x 30 mm



Screen board

70 x 16 mm



Infinity IS

Infinity IS grooved board

136 x 25.4 mm



Infinity IS square edge board

136 x 25.4 mm



Infinity IS starter board

136 x 25.4 mm



Infinity IS grooved wide board

208.8 x 25.4 mm



Infinity IS

Infinity IS 113 grooved board


134.1 x 25.4 mm



Infinity IS 113 starter board

134.1 x 25.4 mm





Featured: **Infinity IS, Cape Town Grey**
Single sided grooved decking and double sided fascia

CAPPED BAMBOO COMPOSITE DECKING



140 x 23 mm




140 x 23 mm



SCULPTED
GRAIN FINISH

Grooved board



SCULPTED
GRAIN FINISH

Square edge board



GROOVED BOARD

The Infinity double sided grooved board installs efficiently and securely with HULK hidden fastener clips which slot into the grooves along the edges of the board and create an uninterrupted final look.

SQUARE EDGE BOARD

The Infinity double sided square edge board is as versatile as it is durable, ideal for decking, deck and stair edges, and for use as attractive cladding or screening, and is fastened by top fixing HULK colour matching composite decking screws.

Dimensions	140 x 23 mm
Weight	3.9 kg/m
Recommended residential joist spacing	500 mm centre to centre* *Please refer to the technical documents for more information on spans and loads.

Dimensions	140 x 23 mm
Weight	4.1 kg/m
Recommended residential joist spacing	500 mm centre to centre* *Please refer to the technical documents for more information on spans and loads.

Fasteners



Grooved edge fasteners
Compatible with S-Series clips



Grooved edge fasteners
Compatible with Chain collated clip and screw


Fasteners



Square edge fasteners
Uses HULK composite top fixing screws



Featured: Infinity, Tiger Cove
Double sided grooved and square edge decking





LIGHTWEIGHT, CAPPED BAMBOO COMPOSITE DECKING

PRODUCT COMPOSITION

Infinity I-Series offers a cost-effective, lightweight decking option thanks to its revolutionary shape which uses less material but maintains class-leading strength, stiffness, and span capability.



(P) PATENTED TECHNOLOGY

Capping material:

Engineered polymer

Core material:

Bamboo PE composite

Infinity IS added benefits:



COST-EFFECTIVE

Smart shape saves on transport & installation



LIGHTWEIGHT

I-beam design is lighter by using less material



SPAN

Span capability of heavier boards



INSTALLATION

Easier and more efficient installation



136 x 25.4 mm
208.8 x 25.4 mm

GROOVED BOARD

The Infinity IS single sided grooved board installs efficiently and securely with HULK hidden fastener clips which slot into the grooves along the edges of the board and create a neat uninterrupted final look.

Dimensions	136 x 25.4 mm	Dimensions	208.8 x 25.4 mm
Weight	3 kg/m	Weight	3.4 kg/m
Recommended residential joist spacing	500 mm centre to centre*	Recommended residential joist spacing	500 mm centre to centre*

**Please refer to the technical documents for more information on spans and loads.*

Fasteners



Grooved edge fasteners

Compatible with S-Series clips



Grooved edge fasteners

Compatible with Chain collated clip and screw



SCULPTED
GRAIN FINISH

Grooved board





Featured: Infinity IS, Caribbean Coral
Single sided grooved and square edge decking



LIGHTWEIGHT, CAPPED BAMBOO COMPOSITE DECKING



136 x 25.4 mm



SCULPTED
GRAIN FINISH

Square edge board



SQUARE EDGE BOARD

The Infinity IS single sided square edge deck board is ideal for decking, deck and stair edges, or for use as attractive cladding or screening. It installs easily using traditional top fixing screws. HULK colour matching composite decking screws work perfectly with Infinity IS composite for a beautiful finished look.

Dimensions	136 x 25.4 mm
Weight	2.9 kg/m
Recommended residential joist spacing	500 mm centre to centre* *Please refer to the technical documents for more information on spans and loads.

Fasteners



Square edge fasteners
Uses HULK composite top fixing screws



136 x 25.4 mm



SCULPTED
GRAIN FINISH

Starter board



STARTER BOARD

The Infinity IS single sided starter deck board offers one grooved edge and one solid edge, making it perfect for deck perimeters, picture framing decks, and creating stair edges. It fastens with a combination of HULK hidden fasteners and colour matched HULK composite decking screws.

Dimensions	136 x 25.4 mm
Weight	2.8 kg/m
Recommended residential joist spacing	500 mm centre to centre* *Please refer to the technical documents for more information on spans and loads.

Fasteners



Grooved edge fasteners
Compatible with S-Series clips



Grooved edge fasteners
Compatible with Chain collated clip and screw



Square edge fasteners
Uses HULK composite top fixing screws



Featured: Infinity IS, Oasis Palm
Single sided grooved and square edge decking



LIGHTER WEIGHT, CAPPED BAMBOO COMPOSITE DECKING

Infinity IS combines all the benefits of Infinity bamboo composite with the advantages of I-Series to give you a durable co-extruded composite. With Infinity IS specialised streaked colour variation technology, you can enjoy the look of timber and the environmental benefits of bamboo composite. The newly optimised I-beam design creates a highly cost-effective board that uses less material yet maintains the performance and longevity we have come to expect from Infinity bamboo composite. The lighter weight of this optimised profile assists with a more efficient transportation and installation.



134.1 x 25.4 mm



SCULPTED
GRAIN FINISH

Grooved board



GROOVED BOARD

The exceptionally lightweight Infinity IS single sided grooved board installs efficiently and securely with HULK hidden fastener clips which slot into the grooves along the edges of the board and create a neat uninterrupted final look.

Dimensions	134.1 x 25.4 mm
Weight	2.4 kg/m
Recommended residential joist spacing	500 mm centre to centre* *Please refer to the technical documents for more information on spans and loads.

Fasteners



Grooved edge fasteners
Compatible with Chain collated clip and screw



134.1 x 25.4 mm



SCULPTED
GRAIN FINISH

Starter board



STARTER BOARD

The exceptionally lightweight Infinity IS single sided starter deck board offers one grooved edge and one solid edge, making it perfect for deck perimeters, picture framing decks, and creating stair edges. It fastens with a combination of HULK hidden fasteners and colour matched HULK composite decking screws.

Dimensions	134.1 x 25.4 mm
Weight	2.4 kg/m
Recommended residential joist spacing	500 mm centre to centre* *Please refer to the technical documents for more information on spans and loads.

Fasteners



Grooved edge fasteners
Compatible with Chain collated clip and screw



Square edge fasteners
Uses HULK composite top fixing screws



Featured: **Infinity IS, Swiss Oak**
Single sided grooved and square edge decking






CAPPED BAMBOO COMPOSITE FASCIA



150 x 12 mm
184 x 16.5 mm
304 x 18 mm

FINISH OPTIONS:




**SCULPTED
GRAIN FINISH**
(Double sided 150 x 12 mm only)



**BRUSHED
SOFTWOOD FINISH**

Fascia boards



FASCIA BOARD

The Infinity single sided fascia boards are non-load bearing profiles that add a neat finish to deck edges or areas where trim is needed. They are neatly fastened by top fixing colour matching HULK composite trim screws.


Dimensions	150 x 12 mm	Dimensions	184 x 16.5 mm	Dimensions	304 x 18 mm
Weight	2.3 kg/m	Weight	3.8 kg/m	Weight	6.8 kg/m
Span	400 mm*	Span	400 mm*	Span	400 mm*

*Spans based on non-load bearing applications only

Fasteners




Fascia trim fasteners
Uses HULK composite trim screws





Featured: Infinity IS, Caribbean Coral
Single sided grooved decking and trim fascia






CAPPED BAMBOO COMPOSITE DECKING



325 x 30 mm

FINISH OPTIONS:



SCULPTED
GRAIN FINISH



BRUSHED
SOFTWOOD FINISH

Stair Tread Board



STAIR TREAD

The Infinity double sided stair tread is a wide, solid profile designed specifically for use as a stair board. Its size and durability ensure stairs that are long-lasting and safe. Its high quality capped bamboo composite composition offers a low-maintenance and eco-friendly stair material option that gives the look of timber in a range of natural colours and textures. The Infinity stair tread installs easily using HULK colour matched composite decking screws.

Dimensions	325 x 30 mm
Weight	12.2 kg/m
Span	400 mm centre to centre*



*Based on stair applications only


Fasteners



Square edge fasteners

Uses HULK composite top fixing screws





Featured: Infinity, Tiger Cove
Single sided grooved decking and stair tread





CAPPED BAMBOO COMPOSITE SCREENING



70 x 16 mm



BRUSHED
SOFTWOOD FINISH

Screen board



SCREEN BOARD


The Infinity screen board is a thin, lightweight composite profile. This double sided board offers a brushed finish on both faces of the profile to create a neat aesthetic for cladding or screening. HULK top fixing screws securely fasten the board in place and are available in colours to match the composite boards for a seamless look.

Dimensions	70 x 16 mm
Weight	1.4 kg/m
Span	450 mm spans up to the N5 wind speed category* *Based on screening applications only

Fasteners



Screen board fasteners
Uses HULK composite trim screws





Featured: Infinity, Tiger Cove
Single sided grooved decking and stair tread





Infinity

INFINITY FINISH & COLOUR GUIDE

The Infinity range is designed to enhance the beauty and liveability of your outdoor area. Infinity composite offers incredibly natural-looking colours thanks to its advanced colour technology which gives each board unique colour variation to embody the essence of timber. Enjoy the beauty of wood with the benefits of composite.


SURFACE FINISHES



Sculpted grain



Brushed softwood



Note: Due to printing and/or screen variations, colours in this brochure may differ from the actual products. Physical samples will be sent for colour finalisation.

Note: To find out which colours are available in your region, please visit your local Eva-Last website.



LOW ENVIRONMENTAL IMPACT

Holistically sustainable manufacturing & use of raw materials



CHOOSE SUSTAINABLE BUILDING MATERIALS



RENEWABLE RESOURCES & RENEWABLE ENERGY

We believe that how we manufacture is just as important as what we manufacture when it comes to going green. That's why we've traded in fossil fuels for renewable energy. Our products use solar power as part of our manufacturing process. We are fully committed to bringing you a product that's holistically sustainable.

Every Eva-Last outdoor range pairs recycled raw ingredients with bamboo for a stronger, more sustainable composite. Bamboo rejuvenates over 30 times faster than traditional hardwoods and it releases 35% more oxygen into our air. Eva-Last is internationally recognised for our commitment to the environment. We're proud of the work we do to promote environmental sustainability, and invite you to choose timber alternatives that are gentle on the Earth.

- Made from recycled materials
- No trees felled
- No treatment or toxic chemicals required for maintenance
- Solar power used in the manufacturing process
- Reduced impact on landfills
- Reduced carbon footprint



Sales

E-mail: GlobalSales@eva-last.com

EVA-LAST®
INSPIRED BY NATURE, DESIGNED FOR LIFE.



www.eva-last.com

© 2025 Eva-Last reserves the rights to all brands, products, and trademarks within this publication.
Eva-Last ITEM: INT INFINITY BROCHURE - 0925 V1

Disclaimer:

Although we make every effort to ensure the information contained in this brochure is accurate, we are NOT responsible for any errors or misprint that occurs and we are NOT responsible for ANY damage or liability that result from the use (or misuse) of the information. In the event that an error does occur, we reserve the right to correct, or make changes to, this information at any time.

Disclaimer:

Span data provided herein is indicative based on specific test load conditions (refer to your product Technical Data Sheet). Dimensional and mass data provided herein is indicative based on typical production and may vary with manufacture and material tolerance. Before installing any Eva-Last product, ensure that the application is rational and complies with the local regulations and building codes. Wherever necessary, consult a suitably qualified professional.